

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
11B: Colo-----	65	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 0.50 0.09
Ely-----	35	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.09
27B: Terril-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
41B: Sparta-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
41C: Sparta-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
41D: Sparta-----	100	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
63B: Chelsea-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
63C: Chelsea-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
63D: Chelsea-----	100	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	0.63	Seepage	1.00
63F: Chelsea-----	100	Very limited Slope	1.00	Very limited Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
65E2: Lindley-----	90	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00		
65F2: Lindley-----	90	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00		
110C2: Lamont-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
118: Garwin-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
119B: Muscatine-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
120B: Tama-----	95	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
120B2: Tama-----	95	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
120C: Tama-----	95	Not limited restricted permeability	0.25	Very limited Slope Seepage	1.00 0.50
120C2: Tama-----	95	Not limited restricted permeability	0.25	Very limited Slope Seepage	1.00 0.50
120D2: Tama-----	95	Somewhat limited Slope restricted permeability	0.63 0.25	Very limited Slope Seepage	1.00 0.50
128: Chaseburg-----	60	Very limited Flooding restricted permeability	1.00 0.25	Very limited Flooding Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Perks-----	30	Very limited Flooding Filtering capacity	1.00 1.00	Very limited Flooding Seepage	1.00 1.00
129B: Chaseburg-----	50	Very limited Flooding restricted permeability	1.00 0.25	Very limited Flooding Seepage Slope	1.00 0.50 0.09
Arenzville-----	40	Very limited Flooding Depth to saturated zone restricted permeability	1.00 0.84 0.25	Very limited Flooding Seepage Depth to saturated zone Slope	1.00 0.50 0.17 0.09
133: Colo-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
142: Chaseburg-----	95	Very limited Flooding restricted permeability	1.00 0.25	Very limited Flooding Seepage	1.00 0.50
158: Dorchester-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
159B: Finchford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.09
162B: Downs-----	100	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage	0.50
				Slope	0.33
162B2: Downs-----	100	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage	0.50
				Slope	0.33
162C: Downs-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50
162C2: Downs-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50
162D: Downs-----	100	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
162D2: Downs-----	90	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
162D3: Downs-----	95	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
162E2: Downs-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
162E3: Downs-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
162F2: Downs-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163B: Fayette-----	100	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage Slope	0.50 0.33
163C: Fayette-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50
163C2: Fayette-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
163D: Fayette-----	95	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
163D2: Fayette-----	90	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
163D3: Fayette-----	90	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
163E: Fayette-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163E2: Fayette-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163E3: Fayette-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163F: Fayette-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
163F2: Fayette-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163F3: Fayette-----	90	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
163G: Fayette-----	95	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
175B: Dickinson-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.33
175C2: Dickinson-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
198B: Floyd-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.09
249: Zwingle-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
291B: Atterberry-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
293C2: Fayette-----	45	Somewhat limited restricted permeability	0.35	Very limited Slope Seepage	1.00 0.50
Lamont-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
Chelsea-----	20	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
293D: Fayette-----	45	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50
Lamont-----	30	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
Chelsea-----	20	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
293D2: Fayette-----	45	Somewhat limited Slope restricted permeability	0.63 0.35	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Lamont-----	30	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
Chelsea-----	20	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
293E2: Fayette-----	45	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
Lamont-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Chelsea-----	20	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
293F: Fayette-----	45	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
Lamont-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Chelsea-----	20	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
293F2:					
Fayette-----	45	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
Lamont-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Chelsea-----	20	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
293G:					
Fayette-----	45	Very limited Slope restricted permeability	1.00 0.35	Very limited Slope Seepage	1.00 0.50
Lamont-----	30	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Chelsea-----	20	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
320:					
Arenzville-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 0.84 0.25	Very limited Flooding Seepage Depth to saturated zone	1.00 0.50 0.17
352B:					
Whittier-----	100	Very limited Filtering capacity restricted permeability	1.00 0.35	Very limited Seepage Slope	1.00 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
354: Aquolls-----	100	Very limited Depth to saturated zone	1.00	Very limited Not Rated (miscellaneous unit)	1.00
		Not Rated (miscellaneous unit)	1.00	Depth to saturated zone	1.00
377B: Dinsdale-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
377B2: Dinsdale-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
412C: Emeline-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.91
412D: Emeline-----	95	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
412F: Emeline-----	95	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
420B: Tama-----	95	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
				Slope	0.09
428B: Ely-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
				Slope	0.33
450B: Pillot-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00
				Slope	0.33
450C2: Pillot-----	100	Very limited Filtering capacity restricted permeability	1.00 0.25	Very limited Seepage	1.00
				Slope	1.00
462B: Downs-----	100	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage	0.50
				Slope	0.09
463B: Fayette-----	100	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage	0.50
				Slope	0.33
463C: Fayette-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
463C2: Fayette-----	100	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50
478G: Nordness-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Rock Outcrop-----	40	Not rated		Not rated	
480C2: Orwood-----	95	Somewhat limited restricted permeability	0.35	Very limited Slope	1.00
				Seepage	0.50
480D2: Orwood-----	90	Somewhat limited Slope	0.63	Very limited Slope	1.00
		restricted permeability	0.35	Seepage	0.50
480F2: Orwood-----	90	Very limited Slope	1.00	Very limited Slope	1.00
		restricted permeability	0.35	Seepage	0.50
482B: Racine-----	100	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Seepage	0.50
		restricted permeability	0.35	Slope	0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
482C2: Racine-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.35	Very limited Slope Seepage	1.00 0.50
484: Lawson-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
487B: Worthen-----	50	Not limited restricted permeability	0.25	Somewhat limited Seepage Slope	0.50 0.33
Otter-----	40	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
488C2: Newvienna-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
488D2: Newvienna-----	95	Very limited Depth to saturated zone Slope restricted permeability	1.00 0.63 0.35	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
488D3: Newvienna-----	100	Very limited Depth to saturated zone Slope restricted permeability	1.00 0.63 0.35	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.50
488E2: Newvienna-----	95	Very limited Depth to saturated zone Slope restricted permeability	1.00 1.00 0.35	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.50
488E3: Newvienna-----	100	Very limited Depth to saturated zone Slope restricted permeability	1.00 1.00 0.35	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.50
490: Caneek-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
496B: Dorchester-----	50	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 0.71 0.50 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Volney-----	40	Very limited Flooding Filtering capacity Content of large stones	1.00 1.00 0.12	Very limited Flooding Seepage Slope Content of large stones	1.00 1.00 0.33 0.22
499D: Nordness-----	85	Very limited Depth to bedrock Slope	1.00 0.16	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00
499F: Nordness-----	85	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
520: Coppock-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.35	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
523E2: Rozetta-----	60	Very limited Slope Depth to saturated zone restricted permeability	1.00 0.40 0.35	Very limited Slope Seepage	1.00 0.50
Derinda-----	30	Very limited Restricted permeability Depth to bedrock Slope Depth to saturated zone	1.00 1.00 1.00 0.43	Very limited Depth to soft bedrock Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
523F2: Rozetta-----	60	Very limited Slope Depth to saturated zone restricted permeability	1.00 0.40 0.35	Very limited Slope Seepage	1.00 0.50
Derinda-----	30	Very limited Restricted permeability Depth to bedrock Slope Depth to saturated zone	1.00 1.00 1.00 0.43	Very limited Depth to soft bedrock Slope	1.00 1.00
523F3: Rozetta-----	60	Very limited Slope Depth to saturated zone restricted permeability	1.00 0.40 0.35	Very limited Slope Seepage	1.00 0.50
Derinda-----	30	Very limited Restricted permeability Depth to bedrock Slope Depth to saturated zone	1.00 1.00 1.00 0.43	Very limited Depth to soft bedrock Slope	1.00 1.00
589: Otter-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
623D2: Rozetta-----	90	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		Depth to saturated zone	0.40	Seepage	0.50
		restricted permeability	0.35		
623D3: Rozetta-----	100	Somewhat limited		Very limited	
		Slope	0.63	Slope	1.00
		Depth to saturated zone	0.40	Seepage	0.50
		restricted permeability	0.35		
623E2: Rozetta-----	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to saturated zone	0.40	Seepage	0.50
		restricted permeability	0.35		
623E3: Rozetta-----	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to saturated zone	0.40	Seepage	0.50
		restricted permeability	0.35		
623F2: Rozetta-----	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to saturated zone	0.40	Seepage	0.50
		restricted permeability	0.35		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
623F3: Rozetta-----	100	Very limited Slope Depth to saturated zone restricted permeability	1.00 0.40 0.35	Very limited Slope Seepage	1.00 0.50
703C2: Dubuque-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00
703D: Dubuque-----	95	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
703D2: Dubuque-----	95	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
703E: Dubuque-----	95	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
703E2: Dubuque-----	95	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
703F: Dubuque-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
712F: Schapville-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to saturated zone	0.43	Seepage	0.50
		restricted permeability	0.25		
749: Zwingle Variant----	95	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
775B: Billett-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33
775C2: Billett-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
799G: Dorerton-----	55	Very limited Slope	1.00	Very limited Slope	1.00
		restricted permeability	0.35	Seepage	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Lacrescent-----	35	Very limited Slope Content of large stones	1.00 0.37	Very limited Slope Seepage Content of large stones	1.00 1.00 0.64
814B: Rockton-----	95	Very limited Depth to bedrock Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.33
814C: Rockton-----	95	Very limited Depth to bedrock Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00
814C2: Rockton-----	95	Very limited Depth to bedrock Filtering capacity restricted permeability	1.00 1.00 0.25	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00
826: Rowley-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
903C2: Frankville-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		restricted permeability	0.35	Seepage	1.00
				Slope	1.00
903D2: Frankville-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	0.63	Slope	1.00
		restricted permeability	0.35	Seepage	1.00
914C2: Winneshiek-----	95	Very limited Restricted permeability	1.00	Very limited Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00
		Filtering capacity	1.00	Slope	1.00
914D2: Winneshiek-----	95	Very limited Restricted permeability	1.00	Very limited Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Slope	0.63		
926: Canoe-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		restricted permeability	0.35	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
930: Orion-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
930B: Orion-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 0.50 0.33
938D2: Newglarus-----	95	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 0.32
938E: Newglarus-----	95	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 0.32
938E2: Newglarus-----	95	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 0.32
939D: Donatus-----	50	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rollingstone-----	40	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 0.50
939D2: Donatus-----	50	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Rollingstone-----	40	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope Seepage	1.00 0.50
939E2: Donatus-----	50	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Rollingstone-----	40	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 0.50
939F: Donatus-----	50	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Rollingstone-----	40	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Seepage	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
939F2: Donatus-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Rollingstone-----	40	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	1.00	Seepage	0.50
941G: Medary Variant-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	1.00	Seepage	0.50
		Depth to saturated zone	0.84	Depth to saturated zone	0.17
976B: Raddle-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
				Slope	0.09
978B: Festina-----	100	Somewhat limited restricted permeability	0.35	Somewhat limited Seepage	0.50
				Slope	0.09
981B: Worthen-----	100	Not limited restricted permeability	0.25	Somewhat limited Seepage	0.50
				Slope	0.33
981C: Worthen-----	100	Not limited restricted permeability	0.25	Very limited Slope	1.00
				Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
1119: Muscatine-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage	1.00 0.50
1160: Walford-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
1291: Atterberry-----	95	Very limited Depth to saturated zone restricted permeability	1.00 0.35	Very limited Depth to saturated zone Seepage	1.00 0.50
1490: Caneek-----	95	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
1587: Dolbee-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
1587B: Dolbee-----	100	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage Slope	1.00 1.00 0.50 0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

Jackson County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
4000: Urban Land-----	100	Not rated		Not rated	
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated	
5030: Pits, Limestone Quarry-----	100	Not rated		Not rated	
5040B: Orthents-----	90	Not rated		Not rated	
W: Water-----	100	Not rated		Not rated	